


## Vegetable Planting Guide and Recommended Planting Dates

*Allen Straw, Extension Horticulturist, Southwest Virginia Agricultural Research and Extension Center*

### When to Plant

The Planting Area Map can be used to determine the average date of last killing frost in your area. Actual dates will vary due to local conditions and yearly temperature fluctuations. You can use the average date of the last killing frost in the spring to adapt the Recommended Planting Dates Chart to your particular area.

### Planting Area Map



[www.ext.vt.edu](http://www.ext.vt.edu)

Produced by Communications and Marketing, College of Agriculture and Life Sciences, Virginia Polytechnic Institute and State University

Virginia Cooperative Extension programs and employment are open to all, regardless of race, color, national origin, sex, religion, age, disability, political beliefs, sexual orientation, or marital or family status. An equal opportunity/affirmative action employer. Issued in furtherance of Cooperative Extension work, Virginia Polytechnic Institute and State University, Virginia State University, and the U.S. Department of Agriculture cooperating. Mark A. McCann, Director, Virginia Cooperative Extension, Virginia Tech, Blacksburg; Alma C. Hobbs, Administrator, 1890 Extension Program, Virginia State, Petersburg.



VIRGINIA STATE UNIVERSITY



## How Much to Plant

The Vegetable Planting Guide can be used to determine the approximate amount of crop to plant for the desired yield, the amount of seed or number of transplants required for that amount of crop, and proper spacing between plants in a row. In intensive, raised-bed gardens, use the in-row figures between all plants; i.e., use equidistant spacing between plants. Sow seeds to a depth three to five times the diameter of the seed. For mid-summer plantings, dry soils may require you to sow up to twice this depth.

Vegetable Planting Guide						
Crop	Planting Distance in Feet or Inches		Approximate yield per 10 feet of row	Approximate no. of row feet to plant per person	Transplants or seed required per 10 feet of row	
	In Rows	Between Rows			No. of Plants	Amount of Seed
Asparagus	18"	48-60"	3-4 lbs	15-20'	7-8 crowns	
Beans, bush	1-2"	24-36"	3-5 lbs	20-50'		1 oz
Beans, pole	4-12"	36-48"	6-10 lbs	10-30'		1 oz
Beans, lima	3-4"	24-36"	3-5 lbs	20-30'		1 oz
Beans, wax	2"	24-36"	3-5 lbs	20-50'		1 oz
Beets	2-3"	12-24"	8-10 lbs	10'		1/8 oz
Broccoli	12-24"	24-36"	4-6 lbs	10-20'	5-8 or	
Brussels Sprouts	18-24"	30-36"	3-4 lbs	10'	5-7 or	
Cabbage	12-18"	30-36"	10-40 lbs	10-15'	5-8 or	
Chinese Cabbage	12-24"	18-36"	20-30 lbs	10-15'	8-12 or	
Carrots	1-2"	15-30"	7-10 lbs	10-20'		1/5 oz
Cauliflower	12-24"	24-36"	8-10 lbs	10-15'	5-8 or	
Chard, Swiss	6-12"	18-30"	8-12 lbs	5-10'		1/5 oz
Collards	12-24"	24-36"	8-15 lbs	10-15'	5-7 or	1/10 oz
Cucumbers	12-18"	48-72"	8-10 lbs	15-20'		1/10 oz
Eggplant	18-24"	30-42"	10-12 lbs	3-6'	5-7 or	
Endive	9-12"	18-30"	3-6 lbs	5-10'	5-10 or	1/40 oz
Kale	6-18"	18-36"	4-8 lbs	10-15'	6-10 or	1/10 oz
Kohlrabi	4-6"	12-36"	4-8 lbs	5-10'		1/10 oz
Leeks	2-6"	12-30"	10-20 lbs	3-6'		1/10 oz
Lettuce (Bibb)	6-10"	12-24"	4-8 lbs	15-20'		1/40 oz
Lettuce (leaf)	3-6"	12-18"	5-10 lbs	10-15'		1/40 oz
Muskmelons	24-36"	60-90"	15-25 lbs	8-12'	3-5 or	1/8 oz
Mustard	2-4"	18-30"	3-6 lbs	5-10'		1/10 oz
Okra	8-18"	36-48"	5-10 lbs	5-10'	7-10 or	1/5 oz
Onions (sets)	2-4"	12-24"	7-10 lbs	15-25'	30-60	
Peas (English)	1-3"	12-30"	2-6 lbs	40-60'		1/2 oz
Peppers	12-24"	30-36"	5-18 lbs	5-10'	5-7	
Potatoes, Irish	10-18"	24-42"	10-20 lbs	75-100'		1 lb
Pumpkins	2-4'	5-8'	10-20 lbs	10'		1/20 oz
Rutabaga	3-6"	15-30"	8-12 lbs	5-10'		1/8 oz
Southern Peas	3-4"	24-36"	5-18 lbs	25-30'		1 oz
Sweet Corn	6-12"	24-36"	7-10 lbs	40-60'		1/2 oz
Spinach	3-6"	15-30"	4-6 lbs	30-40'		1/8 oz
Squash, summer	18-36"	36-60"	20-80 lbs	5-10'		1/10 oz
Squash, winter	2-4'	3-10'	10-80 lbs	10'		1/10 oz
Sweetpotatoes	12-18"	36-48"	8-12 lbs	75-100'	7-10	
Tomatoes	18-36"	36-50"	15-45 lbs	10-15'	3-7	
Turnips	2-3"	12-24"	8-12 lbs	10'		1/8 oz
Watermelons	3-4'	5-10'	8-40 lbs	10-15'	1-2 or	1/2 oz

*This publication was originally authored by Diane Relf, Extension horticulturist (retired), and Alan McDaniel, associate professor, Department of Horticulture, Virginia Tech.*