

TABLE 25. NUMBER OF DAYS FROM LAST SPRAY TO HARVEST\*\* AND RESTRICTED ENTRY INTERVALS (hours)

Common name	Trade name	Time limit in days for use before harvest						REI(h)
		Apple	Pear	Cherry	Nectarine	Peach	Plum	
acequinocyl	Kanemite	14	14	-	-	-	-	12
acetamiprid	Assail	7	7	-	-	-	-	12
aminovinylglycine	ReTain	7	-	-	-	-	-	12
avermectin	Agri-Mek	28	28	-	-	-	-	12
azadirachtin	Aza-Direct	0	0	0	0	0	0	4
azinphos-methyl	Guthion	14 (V)	14	15	-	-	-	14 days
azoxystrobin	Abound	-	-	0	0	0	0	4
<i>Bacillus subtilis</i>	SerenadeMax	0	0	0	0	0	0	4
<i>Bacillus thuringiensis</i>	Various	0	0	0	0	0	0	4
6-benzyladenine	6-BA	-	-	-	-	-	-	12
beta-cyfluthrin	Baythroid XL	7	7	7	7	7	7	12
bifenazate	Acramite	7	7	3	3	3	3	12
buprofezin	Centaur	14	14	-	-	14	-	12
captan		(U)	-	0	0	0	0	(L)
carbamate	Ferbam Granuflo							
carbaryl	Sevin	3	3	3	3	3	3	12
carfentrazone	Aim	3	3	3	3	3	3	12
chlorpyrifos	Lorsban 4E	28 (I, T)	(I)	6	14	14	(I)	96
chlorpyrifos	Lorsban 75WG	28 (I, T)	(I)	21 (D)	14	14	(I)	96
clethodim	Select	365	365	365	365	365	365	24
clofentezine	Apollo	45	21	21	21	21	-	12
clopyralid	Stinger	-	-	30	30	30	30	12
clothianidin	Clutch	7	7	-	-	-	-	12
CM granulovirus	Cymb-X, Carpovirusine	0	0	-	-	-	0	4
cyfluthrin	Tombstone	7	7	7	7	7	7	12
cyprodinil	Vanguard	72	-	2(W)	2(W)	2(W)	2(W)	12
deltamethrin	Battalion, Decis	21	21	-	-	-	-	12
diazinon		21	21	21	21	21	21	24
dichlobenil	Casoron	0	0	0	-	-	-	12
dicloran	Botran	-	(L)	(L)	10	10	(L)	12
diflubenzuron	Dimilin	-	14	-	-	-	-	12
diuron	Karmex	(L)	(L)	-	-	(L)	-	12
dodine	Syllit	7	-	0	-	15	-	48
emamectin benzoate	Proclaim	14	14	-	-	-	-	48
endosulfan	Thionex	21	7	21	30 foliage 21 trunk	30 foliage 21 trunk	7	24
esfenvalerate	Asana	21	28	14	14	14	14	12
ethephon	Ethrel, Cepha	4	-	-	-	-	-	48
etoxazole	Zeal	14	14	-	-	-	-	12
fenbutatin oxide	Vendex	14	14	14	14	14	14	48
fenamiphos	Nemacur	72	-	45	45	45	-	48
fenarimol	Rubigan	30	30	0	-	-	-	12
fenbuconazole	Indar	14	-	0	0	0	0	12
fenhexamid	Elevate	-	-	0	0	0	0	4
fenpropathrin	Danitol	14	14	-	-	-	-	24
fenpyroximate	Portal	14	14	-	-	-	-	12
ferbam	Ferbam Granuflo	7	7	0	-	21	1	24
flonicamid	Beleaf	21	21	14	14	14	14	12
fluzifop-P	Fusilade DX	365	365	14	14	14	14	12
flumioxazin	Chateau	60	60	60	60	60	60	12
formetanate hydrochloride	Carzol	(B)	(B)	-	(B)	(B)	-	(L)
fosetyl-Al	Aliette	365	365	365	365	365	365	12
gamma-cyhalothrin	Proaxis	21	21	14	14	14	14	24
gibberellins A <sub>4</sub> A <sub>7</sub>	ProVide	-	-	-	-	-	-	12
glufosinate	Rely	14	-	-	-	-	-	12
glyphosate	several	1	1	17	17	17	17	4-12(L)
hexythiazox	Savey	28	28	28	28	28	-	12
imidacloprid	Provado	7	7	7	0	0	7	12
indoxacarb	Avaunt	14	14	14	14	14	14	12
iprodione	Rovral	-	-	(B)	(B)	(B)	(B)	24
kaolin	Surround	0	0	0	0	0	0	4
kresoxim-methyl	Sovran	30	30	-	-	-	-	12
lambda-cyhalothrin	Warrior, Lambda-Cy	21	21	14	14	14	14	24
mancozeb	various	(L)	(L)	-	-	-	-	24
mefenoxam	Ridomil Gold	(Q)	-	(L)	(L)	(L)	(L)	12
mefenoxam	Ridomil 5G	365	365	365	365	365	365	12
methidathion	Supracide	(L)	(L)	(L)	(L)	(L)	(L)	48
methomyl	Lannate	14	-	-	1 (J)	4	-	72-96 (L)

## 150 Preharvest Intervals

Common name	Trade name	Time limit in days for use before harvest						REI (h)
		Apple	Pear	Cherry	Nectarine	Peach	Plum	
methoxyfenozide	Intrepid	14	14	-	7	7	7	4
metiram	Polyram	(L)	-	-	-	-	-	24
myclobutanil	Nova, Rally	14	-	7	7	7	-	24
naphthalene acetic acid	NAA	(F)	-	-	-	-	-	-
naphthylacetamide	Amid-Thin	(F)	-	-	-	-	-	-
napropamide	Devrinol	35	35	35	35	35	35	12
norflurazon	Solicam	60	60	60	60	60	60	24
novaluron	Rimon	14	-	-	-	-	-	12
OFM sprayable pheromone	CheckMate OFM-F	0	0	0	0	0	0	0
oryzalin	Surflan	0	0	0	0	0	0	12
oxamyl	Vydate	14	14	-	-	-	-	48
oxyfluorfen	Goal	(I)	(I)	(I)	(I)	(I)	(I)	24
paraquat	various Gramoxone	0	0	28	28	14	28	12
permethrin	Ambush, Perm-UP, Pounce(B)	(C)	(C)	3	14	14	-	12
pendimethalin	Prowl H2O	60	60	60	60	60	60	24
phosmet	Imidan	7	7	7 (D)	14	14	7	72
prohexadione-calcium	Apogee	45	-	-	-	-	-	12
pronamide	Kerb	0	0	0	0	0	0	24
propargite	Omite	(P)	(P)	-	-	-	-	168
propiconazole	Orbit	-	-	-	0 (R)	0 (R)	0 (R)	24
pyraclostrobin	Cabrio	-	-	0	-	-	-	12
pyraclostrobin +boscalid	Pristine	0	0	0	0	0	0	12
pyridaben	Nexter	25	7	300	7	7	7	12
pyrimethanil	Scala	72 (W)	72 (W)	- (W)	2 (W)	2 (W)	2 (W)	12
pyriproxyfen	Esteem	45	45	-	-	-	-	12
sethoxydim	Poast	14	14	25	25	25	(P)	12
simazine	Princep	0	0	0	-	0	0	12
spinetoram	Delegate	7	7	7	1	14	7	4
spinosad	SpinTor, Entrust	7	-	7	(1)	14	7	4
spirodiclofen	Envidor	7	7	7	7	7	7	12
stylet oil	JMS Stylet Oil	0	0	(L)	(L)	(L)	(L)	4
streptomycin	Agri-mycin 17	50	30	-	-	-	-	12
sulfur		0	0	0	0	0	0	24
tebuconazole	Elite	-	-	0	0	0	-	12
terbacil	Sinbar	60	-	-	-	60	-	12
thiacloprid	Calypso	30	30	-	-	-	-	12
thiamethoxam	Actara	(S)	(S)	14	14	14	14	12
trifloxystrobin	Flint, Gem	14	14	1	1	1	1	12
tebuconazole + trifloxystrobin	Adament	-	-	1	1	1	-	24
thiophanate-methyl	Topsin M	0	1	1	1	1	1	12
thiram		0	-	-	-	7	1	24
2,4-D	various (E)	14	14	40	40	40	40	48
triadimefon	Triadimefon	45 (N)	45 (N)	-	-	-	-	12
triflumizole	Procure	14	14	-	-	-	-	12
zeta-cypermethrin	Mustang Max	14	14	14	14	14	14	12
Ziram		14	14	14	14	14	-	48

(B) Apply no later than petal fall.

(C) Prebloom application.

(D) Do not use as a foliar spray on sweet cherries.

(E) Check herbicide label to determine which species can be treated with a specific formulation of 2,4 - D.

(F) Apply no later than 2 1/2 weeks after bloom for thinning. As a stop-drop spray, do not apply NAA within 2 days of harvest.

(I) Registered for dormant or delayed-dormant foliar application.

(J) SLN 24(c) label for Virginia and West Virginia.

(L) See label.

(N) Maximum 24 oz per acre per season.

(O) Flint for pome fruits, Gem for stone fruits.

(P) Non-bearing trees only.

(Q) Apply before growth starts in spring and in the fall after harvest.

(R) Apply a maximum of 2 sprays during the period beginning 3 weeks before harvest through the day of harvest (0 day PHI). Do not apply to prunes.

(S) 35 days if over 2.75 oz/A; 14 days for rates up to 2.75 oz/A.

(T) Postbloom handgun application to lower 4 ft of trunk for borer control

(U) See label. Re-entry interval may be more restrictive than days-to-harvest limitations.

(V) 21 days if over 2 lbs/A; 30 days for pick-your-own.

(W) Do not make more than 2 applications of a Group 9 fungicide (Scala or Vanguard) within 30 days of harvest.

\*\* Days to harvest can vary according to the formulation and percentage of active ingredient used in some cases. Be sure to read the label carefully before applying any pesticide. Use this chart only as a guide.