



The Virginia Alfalfa Variety Report: A 5-Year Summary (1995-1999)

*P.R. Peterson, D.E. Starner, W.B. Wilkinson, D.R. Dixon, S.J. Hutton, G.B. Benson, and H.E. White**

Alfalfa is capable of producing high yields of high quality forage for hay, haylage, and pasture. However, this performance potential can only be realized when site selection and management are appropriate. Alfalfa requires deep, well-drained soils with pH>6.5 and high levels of P and K in order to persist and yield to its potential. Defoliation and pest management are also key to alfalfa performance.

There are several hundred alfalfa varieties on the market, and many do well in Virginia. This report is a summary of alfalfa variety trials performed at Virginia Tech Agricultural Research and Extension Centers (ARECs) from 1995 through 1999. It includes a trial seeded at the Southern Piedmont AREC (SPAREC) at Blackstone, VA, in May 1995 and harvested for 3 years (1996-98), plus a residual spring harvest in 1999 (Tables 1-5). It also includes a trial established at the Northern Piedmont AREC (NPAREC) at Orange in September 1994 and harvested for 5 years (1995-99; Tables 1, 6-11). A newer trial was seeded at the NPAREC in September 1998 and data for one harvest year (1999) are presented in Table 12. The newest trials were seeded at the Kentland Farm at Whitethorne in September 1999 and at the SPAREC in spring 2000 (Table 1). No yield data are yet available for these trials.

The trials are conducted at multiple locations within the state in order to provide a range of environments. The tables that follow include summary data of individual harvests within years and total season yields across years. The varieties were submitted by or specifically requested of cooperating seed companies.

Entries were planted in 4 replications of a randomized complete block design at each location. Individual plot size averaged 5' X 15'. All data are reported on a 100% dry matter basis; hay yields would be 10-15% higher.

The variety trials are managed at high fertility levels. Phosphorus and potassium were maintained at high levels, pH was maintained between 6.5 and 7.0, and boron was applied annually. Weeds and insects were controlled with appropriate pesticides.

All entries in a trial at a location were harvested on the same dates, but harvest dates varied among locations and years. The goal was to harvest five times per year beginning around May 1 and about monthly thereafter. At each harvest, plots were cut to a 3" residual height with either a sickle or flail harvester.

Statistical analyses were performed for individual harvests within years and for total season yields across years. These analyses determine whether numerical differences were just random effects or indeed a "true" difference in performance among varieties. The term "LSD (0.05)" appears at the bottom of each table with an accompanying value under each column of data. An LSD (0.05) is the amount by which two varieties' yields in the same column must differ in order to be considered statistically, or meaningfully, different. If "NS" appears instead of a value, it means the averages within the column are not statistically, or meaningfully, different.

Alfalfa is relatively drought and heat tolerant. Nevertheless, precipitation has a profound effect on forage yield and persistence. Monthly average precipitation data are compared to long-term averages for each location during which the trials were conducted (Figs. 1 and 2)

At Orange, the 1995 growing season was wetter than average early, drier than average during late summer, and again wetter than average during fall. The entire 1996 growing season had above average rainfall. In 1997, it was dry throughout, except for above average rainfall in July and November; 1998 was wet early, but dry from July through fall; and 1999 was very dry throughout, except for above average rainfall during September.

At Blackstone, the 1995 growing season was wet early, drier than average during most of the summer, and wet again in October. In 1996, rainfall was average until fall when rainfall was above average; 1997 was wet in April, but dry from June through September, and near average through the fall; 1998 was wet early, then dry from June through November except for above average rain in September; and in 1999, a wet April followed dry conditions in February and March. It is important

*Extension Specialist, Virginia Tech; Superintendent, NPAREC; Research Associate, SPAREC; Senior Agriculture Manager, NPAREC; Research Specialist, Virginia Tech; Research Associate, Virginia Tech; Retired Extension Specialist, Virginia Tech; respectively

to note that the Blackstone trial received 4, 5, and 3.5 inches of irrigation during 1996, 1997, and 1998, respectively; and thus was never exposed to prolonged droughts. This may have concealed differences in variety performance that might have occurred without irrigation.

When using this publication to select an alfalfa variety, it is important to 1) prioritize the relative importance of yield, persistence, and quality for the intended use of the forage and 2) understand the context within which these trials were conducted. Forage quality and palatability were not determined in our trials. These data reflect the yield and persistence of varieties under optimum management. Varieties that persisted well over several years in these trials may not necessarily persist well under grazing, poor fertility, or a broad range of soil types. Disease resistance is related to persistence. All diseases listed in Table 1 occur in Virginia. Varieties with high resistance to all five diseases would be expected to have the broadest range of adaptation. However, for some forage

growers, persistence may not be as important as short-term yield, quality, and palatability.

Consult your local Extension agent for more information about forage varieties and management.

Acknowledgements: The researchers express their appreciation to the participating seed companies for their financial support of these trials. They are also indebted to Dean Andy Swiger, Associate Dean Robert Cannell, Dr. Jack Hall, Dr. Dale Wolf, and the Virginia Forage and Grassland Council for provision of funds to purchase a forage harvester used for these trials. Gratitude is also extended to Dr. A. Ozzie Abaye and Mr. Glenn Johnson for their critical reviews of this publication. Thanks, too, to the AREC employees, especially Mr. Otto Beasley and Ms. Betty Brown at the NAREC, and Dr. Jim Jones and Mr. R.R. Wilmouth at the SPAREC, and the undergraduate student workers who provided valuable assistance in conducting the trials.

Table I. Virginia Alfalfa Forage Variety Trials - VPI & SU.

Variety	Company	Disease Resistance					Blackstone				Orange					Wt*	
		Bw	Vw	PRR	Fw	An	96	97	98	99	00	95	96	97	98	99	
53H81	Pioneer Hi-Bred Int., Inc.	HR	HR	R	HR	HR					X						X
53Q60	Pioneer Hi-Bred Int., Inc.	HR	R	HR	R	HR					X						X X
5454	Pioneer Hi-Bred Int., Inc.	R	MR	HR	HR	HR	X	X	X	X		X	X	X	X	X	
54H69	Pioneer Hi-Bred Int., Inc.	R	R	HR	HR	HR											X
54V54	Pioneer Hi-Bred Int., Inc.	HR	HR	HR	HR	HR					X						X
Abilene + Z	ABI Alfalfa	HR	HR	HR	HR	HR											X
ABT 350	AgriBioTech, Inc	HR	HR	HR	HR	HR											X X
ABT 400 SCL	AgriBioTech, Inc	HR	HR	HR	HR	HR											X X
ABT405	AgriBioTech, Inc	HR	HR	HR	HR	R	X	X	X	X							X X
Affinity + Z	ABI Alfalfa	HR	HR	HR	HR	HR											X X
Alfagraze	America's Alfalfa	R	-	LR	R	MR	X	X	X	X	X	X	X	X	X	X	X X
Amerigraze 401 + Z	ABI Alfalfa	HR	HR	HR	HR	HR					X						X X
Asset	Seedway Inc.	HR	R	HR	R	R						X	X	X	X	X	
Belmont	Great Plains Research Co., Inc.	HR	R	R	HR	HR					X	X	X	X	X		
Choice	FFR Cooperative	HR	HR	HR	R	R	X	X	X	X	X	X	X	X	X	X	X X
Cimarron 3I	Great Plains Research Co., Inc.	HR	R	R	HR	HR											X
Cimarron VR	Great Plains Research Co., Inc.	HR	R	R	HR	HR						X	X	X	X	X	
Cinarrow SR	Great Plains Research Co., Inc.	HR	HR	HR	HR	HR											X
Clean Sweep 1000	FFR Cooperative	HR	R	HR	HR	HR											X
Dagger + EV	Agipro Seeds	HR	HR	HR	HR	HR											X X
Demand	Agipro Seeds	HR	HR	HR	HR	HR	X	X	X	X		X	X	X	X	X	
DK127	Monsanto	HR	R	HR	R	HR	X	X	X	X							X X
DK133	Monsanto	HR	R	HR	HR	HR	X	X	X	X							X X
DK140	Monsanto	HR	R	HR	HR	HR											X X
DK141	Monsanto	HR	HR	HR	HR	HR											X X
Dominator	Agipro Seeds	HR	R	HR	HR	HR	X	X	X	X		X	X	X	X	X	
Feast + EV	Agipro Seeds	HR	HR	HR	HR	HR											X X
Haygrazer	Great Plains Research Co., Inc.	HR	R	R	HR	HR					X						X
Innovator +Z	ABI Alfalfa	HR	HR	HR	HR	HR	X	X	X	X		X	X	X	X	X	
Interceptor	Agipro Seeds	HR	R	HR	HR	HR											X
Key	Great Plains Research Co., Inc.	HR	HR	HR	HR	HR						X	X	X	X	X	
Legacy	AgriBioTech, Inc	HR	R	HR	HR	HR	X	X	X	X		X	X	X	X	X	
Multistar	FFR Cooperative	HR	R	HR	HR	HR	X	X	X	X		X	X	X	X	X	
Paramount	ChemGro Seeds	HR	R	HR	HR	HR						X	X	X	X	X	
Pawnee	Midwest Seed Genetics	HR	HR	HR	HR	HR											X X
Persist	Doebler's PA Hybrids, Inc.	HR	R	HR	HR	HR					X	X	X	X	X	X	X X
Precedent	Doebler's PA Hybrids, Inc.	HR	R	HR	HR	R	R				X	X	X	X	X	X	
Prolific	Doebler's PA Hybrids, Inc.	HR	R	HR	HR	HR					X						
Ram	Great Plains Research Co., Inc.	HR	R	HR	HR	HR						X	X	X	X	X	
Resistar	FFR Cooperative	R	HR	HR	HR	HR	X	X	X	X		X	X	X	X	X	
Seedway 512	Seedway Inc.	HR	R	HR	HR	HR					X						X
Spur	Seedway Inc.	HR	R	HR	HR	HR											X X
Stampede	Agway, Inc.	HR	R	HR	R	R	X	X	X	X							
Stellar	ChemGro Seeds	HR	HR	HR	HR	HR											X
Supercuts	AgriBioTech, Inc	HR	HR	HR	HR	HR	X	X	X	X							
Total +Z	ABI Alfalfa	HR	HR	HR	HR	HR	X	X	X	X		X	X	X	X	X	
Trialfalon	ChemGro Seeds	HR	R	HR	HR	HR					X						X
Triple Crown	FFR Cooperative	HR	R	HR	HR	HR					X						X X
WL 252 HQ	W-L Research Inc.	HR	R	HR	HR	HR						X	X	X	X	X	
WL 323	W-L Research Inc.	HR	R	HR	HR	HR	X	X	X	X		X	X	X	X	X	
WL 324	W-L Research Inc.	HR	R	HR	HR	HR											X
WL 325 HQ	W-L Research Inc.	HR	R	HR	HR	HR											X X
WL 326 GZ	W-L Research Inc.	HR	HR	HR	HR	HR											X
WL 327	W-L Research Inc.	HR	R	HR	HR	HR											X
WL 332 SR	W-L Research Inc.	HR	R	HR	HR	HR											

*Wt = Whitethorne

Bw = Bacterial wilt, Vw = Verticillium wilt, Fw = Fusarium wilt, An = Anthracnose, and PRR = Phytophthora root rot.

Disease Resistance Ratings:

% Resistant Plants	Resistance class
0-5%	Susceptible (S)
6-14%	Low Resistance (LR)
15-30%	Moderate Resistance (MR)
31-50%	Resistance (R)
>50%	High Resistance (HR)

Table 2. Alfalfa Variety Yields: Southern Piedmont AREC, Blackstone, VA, May 1995 Seeding.

Variety	Company	1996	1997	1998 DM Yield (ton/acre)	6-May 1999	1996-98 Avg.
Stampede	Agway	6.67	7.15	5.43	1.54	6.41
SuperCuts	ABT	6.61	7.10	5.53	1.57	6.41
Total+Z	ABI	6.68	7.09	5.25	1.33	6.34
Innovator+Z	ABI	6.61	7.07	5.25	1.31	6.31
DK127	Monsanto	6.23	7.18	5.48	1.48	6.30
Alfagraz 5454	America's Pioneer	6.44	6.99	5.45	1.47	6.29
Choice	FFR	6.16	6.99	5.14	1.29	6.10
ABT405	ABT	6.14	6.79	5.35	1.40	6.09
Demand	AgriPro	6.01	6.84	5.03	1.34	5.96
Dominator	AgriPro	6.13	6.68	5.05	1.42	5.95
WL323	W-L	5.96	6.81	5.07	1.23	5.95
Resistar	FFR	5.81	6.77	5.13	1.39	5.90
DK133	Monsanto	5.99	6.55	5.17	1.23	5.90
Multistar	FFR	5.64	6.65	5.33	1.34	5.87
Legacy	ABT	5.56	6.51	5.26	1.26	5.77
LSD (0.05)		NS	NS	NS	0.16	NS

*See Individual Years for Cultural Practices

Table 3. 1996 Alfalfa Variety Yields: Southern Piedmont AREC, Blackstone, VA, May 1995 Seeding.

Variety	Company	9-May-96	13-Jun-96	9-Jul-96 DM Yield (ton/acre)	7-Aug-96	9-Sep-96	Total
Total+Z	ABI	1.85	1.86	0.63	1.42	0.92	6.68
Stampede	Agway	1.72	2.06	0.64	1.40	0.85	6.67
Innovator+Z	ABI	1.87	1.83	0.60	1.39	0.93	6.61
SuperCuts	ABT	1.78	1.88	0.64	1.45	0.86	6.60
Alfagraz 5454	America's Pioneer	1.90	1.66	0.59	1.43	0.87	6.44
DK127	Monsanto	1.87	1.63	0.59	1.29	0.84	6.23
Choice	FFR	1.77	1.51	0.60	1.40	0.87	6.16
ABT405	ABT	1.72	1.69	0.61	1.31	0.81	6.14
Dominator	AgriPro	1.77	1.66	0.46	1.25	0.99	6.13
Demand	AgriPro	1.80	1.59	0.50	1.20	0.92	6.01
DK133	Monsanto	1.86	1.47	0.52	1.30	0.84	5.98
WL323	W-L	1.86	1.45	0.50	1.28	0.87	5.96
Resistar	FFR	1.77	1.50	0.55	1.16	0.82	5.81
Multistar	FFR	1.71	1.30	0.51	1.37	0.76	5.64
Legacy	ABT	1.63	1.41	0.50	1.13	0.89	5.56
LSD (0.05)		NS	0.38	NS	NS	0.11	NS

Planted - 5/26/95

9/2/94 - 1 ton lime/acre

9/13/94 - 200 lb P₂O₅, 400 lb K₂O and 4 lb B/acre

5/25/95 - 2 qt. Eptam 6E/acre

8/10/95 - 1 in. irrigation

8/30-31/95 - 2 in. irrigation

Table 4. 1997 Alfalfa Variety Yields: Southern Piedmont AREC, Blackstone, VA, May 1995 Seeding.

Variety	Company	30-Apr-97	5-Jun-97	2-Jul-97	31-Jul-97	8-Sep-97	Total
DM Yield (ton/acre)							
DK127	Monsanto	1.74	1.69	1.32	1.42	1.02	7.18
Stampede	Agway	1.70	1.68	1.31	1.46	1.01	7.15
SuperCuts	ABT	1.67	1.72	1.30	1.42	0.98	7.10
Total+Z	ABI	1.78	1.71	1.23	1.39	0.99	7.09
Innovator+Z	ABI	1.69	1.60	1.34	1.46	0.97	7.07
5454	Pioneer	1.72	1.70	1.32	1.35	0.95	7.03
Alfagrazze	America's	1.88	1.61	1.17	1.33	1.00	6.99
Choice	FFR	1.71	1.68	1.25	1.37	0.98	6.99
Demand	AgriPro	1.66	1.66	1.18	1.39	0.95	6.84
WL323	W-L	1.66	1.61	1.23	1.36	0.93	6.80
ABT405	ABT	1.69	1.55	1.25	1.32	0.96	6.79
Resistar	FFR	1.75	1.54	1.19	1.28	1.01	6.77
Dominator	AgriPro	1.66	1.42	1.14	1.45	0.99	6.68
Multistar	FFR	1.62	1.59	1.12	1.38	0.95	6.65
DK133	Monsanto	1.61	1.54	1.15	1.31	0.94	6.56
Legacy	ABT	1.63	1.52	1.10	1.36	0.90	6.51
LSD (0.05)		NS	NS	0.27	0.13	NS	NS
Planted - 5/26/95							
2/13/97 - 0-196-403 + 4 lb B/acre					7/9/97 - 2 in. irrigation		
3/13/97 - 1 qt. Furadan/acre					8/1/97 - 2 pt. Gramoxone/acre		
6/10/97 - 1.5 in. irrigation					8/5/97 - 1.5 in. irrigation		

Table 5. 1998 Alfalfa Variety Yields: Southern Piedmont AREC, Blackstone, VA, May 1995 Seeding.

Variety	Company	14-May-98	15-Jun-98	21-Jul-98	24-Aug-98	2-Nov-98	Total
DM Yield (ton/acre)							
SuperCuts	ABT	1.70	1.28	0.97	0.93	0.65	5.53
DK127	Monsanto	1.83	1.17	0.96	0.87	0.65	5.48
Alfagrazze	America's	1.61	1.14	1.00	0.94	0.76	5.45
Stampede	Agway	1.53	1.29	0.95	0.91	0.75	5.43
ABT405	ABT	1.64	1.16	0.98	0.91	0.66	5.35
Multistar	FFR	1.78	1.16	0.92	0.75	0.72	5.33
Legacy	ABT	1.66	1.07	0.90	0.87	0.76	5.26
Total+Z	ABI	1.53	1.19	0.97	0.78	0.79	5.25
Innovator+Z	ABI	1.60	1.23	0.88	0.87	0.68	5.25
5454	Pioneer	1.82	1.08	0.85	0.84	0.61	5.21
DK133	Monsanto	1.63	1.17	0.86	0.77	0.74	5.16
Choice	FFR	1.66	1.13	0.86	0.81	0.68	5.14
Resistar	FFR	1.60	1.06	0.90	0.90	0.68	5.13
WL323	W-L	1.67	1.09	0.88	0.77	0.67	5.07
Dominator	AgriPro	1.23	1.22	0.95	0.94	0.71	5.05
Demand	AgriPro	1.41	1.14	0.92	0.85	0.71	5.03
LSD (0.05)		0.22	0.12	NS	0.11	NS	NS
Planted - 5/26/95							
2/11/98 - 2 pt. Gramoxone/acre + 0.125% X-77					6/24/98 - 1.5 in. irrigation		
2/13/98 - 200 lb P ₂ O ₅ , 400 lb K ₂ O and 4 lb B/acre					7/22/98 - 2 in. irrigation		
3/27/98 - 1 qt. Furadan 4F/acre					7/23/98 - 2 pt. Gramoxone/acre + 0.125% X-77		

Table 6. Alfalfa Variety Yields: Northern Piedmont AREC, Orange, VA, Sept. 1994 Seeding.

Variety	Company	1995	1996	1997	1998	1999	1995-99 Avg.
DM Yield (ton/acre)							
Choice	FFR	4.79	5.81	6.44	7.99	6.28	6.26
Paramount	ChemGro	4.77	5.93	5.96	7.83	6.65	6.23
Innovator +Z	ABI	4.82	6.02	6.11	7.54	6.26	6.15
WL 252 HQ	W-L	4.41	5.66	5.84	7.63	6.24	5.96
5454	Pioneer	4.67	5.66	5.94	7.24	6.26	5.96
Multistar	FFR	4.80	5.51	5.77	7.29	6.28	5.93
Asset	Seedway	4.76	5.63	6.08	7.26	5.85	5.91
Resistar	FFR	4.81	5.66	5.87	7.28	5.73	5.87
Persist	Doebler's	4.58	5.66	5.81	7.00	5.94	5.80
WL 323	W-L	4.39	5.45	5.93	7.06	5.90	5.75
Dominator	AgriPro	4.42	5.45	5.76	7.16	5.66	5.69
Key	Great Plains	4.60	5.18	5.50	7.19	5.61	5.61
Ram	Great Plains	4.44	5.19	5.60	7.06	5.75	5.61
Total +Z	ABI	4.37	5.62	5.57	6.95	5.50	5.60
Demand	AgriPro	4.39	5.38	5.56	7.03	5.51	5.57
Precedent	Doebler's	4.43	5.21	5.72	6.79	5.34	5.50
Legacy	ABT	4.13	5.29	5.54	6.60	5.64	5.44
Belmont	Great Plains	4.28	5.23	5.18	6.80	5.54	5.41
Alfagraze	America's	3.97	5.04	5.37	6.54	5.05	5.20
Cimarron VR	Great Plains	4.06	4.92	5.43	6.49	4.89	5.16
LSD (0.05)		NS	0.41	0.41	0.53	0.57	0.37

*See Individual Years for Cultural Practices

Table 7. 1995 Alfalfa Variety Yields: Northern Piedmont AREC, Orange, VA, Sept. 1994 Seeding.

Variety	Company	12-May-95	14-Jun-95	17-Jul-95	7-Aug-95	6-Nov-95	Total
DM Yield (ton/acre)							
Innovator +Z	ABI	1.64	1.30	0.91	0.48	0.49	4.82
Resistar	FFR	1.62	1.56	0.80	0.29	0.54	4.81
Multistar	FFR	1.82	1.56	0.64	0.28	0.50	4.80
Choice	FFR	1.66	1.49	0.75	0.32	0.56	4.79
Paramount	ChemGro	1.44	1.40	0.98	0.41	0.54	4.77
Asset	Seedway	1.64	1.42	0.79	0.34	0.56	4.76
5454	Pioneer	1.49	1.43	0.86	0.40	0.49	4.67
Key	Great Plains	1.69	1.41	0.69	0.30	0.51	4.60
Persist	Doebler's	1.57	1.36	0.78	0.33	0.54	4.58
Ram	Great Plains	1.54	1.43	0.65	0.29	0.52	4.44
Precedent	Doebler's	1.50	1.48	0.69	0.23	0.53	4.43
Dominator	AgriPro	1.37	1.34	0.85	0.39	0.47	4.42
WL 252 HQ	W-L	1.54	1.35	0.76	0.30	0.47	4.41
Demand	AgriPro	1.40	1.34	0.80	0.39	0.47	4.39
WL 323	W-L	1.58	1.32	0.71	0.29	0.50	4.39
Total +Z	ABI	1.47	1.21	0.84	0.38	0.46	4.37
Belmont	Great Plains	1.37	1.37	0.73	0.32	0.48	4.28
Legacy	ABT	1.40	1.44	0.61	0.22	0.46	4.13
Cimarron VR	Great Plains	1.64	1.37	0.43	0.19	0.44	4.06
Alfagraze	America's	1.25	1.32	0.71	0.30	0.39	3.97
LSD (0.05)		0.27	NS	0.18	0.08	0.08	NS

Planted – 9/14/94

3/13/95 - Applied 0-80-300 + 4 lb B/acre

3/20/95 - Applied 2.5 T lime/acre

5/12/95 - Applied 180 lb K₂O /acre

7/21/95 - Sprayed 2.5 pts Poast and 2 pt. Crop oil/acre for weed control

7/21/95 - Sprayed 1 pt. Cygon 400 /acre for insect control.

Table 8. 1996 Alfalfa Variety Yields: Northern Piedmont AREC, Orange, VA, Sept. 1994 Seeding.

Variety	Company	13-May-96	14-Jun-96	16-Jul-96	16-Aug-96	30-Sep-96	Total
DM Yield (ton/acre)							
Innovator +Z	ABI	1.69	1.31	1.04	1.07	0.91	6.02
Paramount	ChemGro	1.60	1.42	1.02	1.02	0.87	5.93
Choice	FFR	1.64	1.31	0.99	1.00	0.87	5.81
WL 252 HQ	W-L	1.61	1.28	0.97	0.97	0.83	5.66
Resistar	FFR	1.57	1.32	0.97	0.98	0.82	5.66
5454	Pioneer	1.58	1.35	0.96	0.93	0.83	5.66
Persist	Doebler's	1.59	1.29	0.97	0.98	0.83	5.66
Asset	Seedway	1.57	1.31	0.91	0.97	0.88	5.63
Total +Z	ABI	1.57	1.29	0.99	0.98	0.80	5.62
Multistar	FFR	1.54	1.28	0.93	0.93	0.84	5.51
Dominator	AgriPro	1.49	1.26	0.93	0.95	0.83	5.45
WL 323	W-L	1.44	1.35	0.90	0.94	0.82	5.45
Demand	AgriPro	1.45	1.25	0.93	0.94	0.81	5.38
Legacy	ABT	1.47	1.25	0.83	0.90	0.84	5.29
Belmont	Great Plains	1.34	1.32	0.88	0.88	0.81	5.23
Precedent	Doebler's	1.47	1.19	0.85	0.90	0.80	5.21
Ram	Great Plains	1.31	1.28	0.85	0.93	0.82	5.19
Key	Great Plains	1.42	1.23	0.82	0.88	0.82	5.18
Alfagrazz	America's	1.35	1.12	0.84	0.92	0.81	5.04
Cimarron VR	Great Plains	1.26	1.12	0.82	0.90	0.81	4.92
LSD (0.05)		0.20	0.11	0.10	0.10	NS	0.41

Planted – 9/14/94

2/29/96 - Sprayed 3/4 lb Sinbar/acre for weed control
3/5/96 - Applied 0-80-300 + 4 lb B/acre4/17/96 - Sprayed 1 qt. Lorsban/acre to control alfalfa weevil
5/14/96 - Applied 180 lb K₂O/acre**Table 9. 1997 Alfalfa Variety Yields: Northern Piedmont AREC, Orange, VA, Sept. 1994 Seeding.**

Variety	Company	16-May-97	16-Jun-97	11-Jul-97	12-Aug-97	26-Sep-97	Total
DM Yield (ton/acre)							
Choice	FFR	1.98	1.46	1.04	1.07	0.90	6.44
Innovator +Z	ABI	1.73	1.42	1.00	1.15	0.81	6.11
Asset	Seedway	1.77	1.46	0.96	1.07	0.82	6.08
Paramount	ChemGro	1.63	1.43	1.02	1.08	0.80	5.96
5454	Pioneer	1.68	1.45	1.00	1.04	0.78	5.94
WL 323	W-L	1.75	1.47	0.91	1.02	0.77	5.93
Resistar	FFR	1.66	1.44	0.94	1.05	0.78	5.87
WL 252 HQ	W-L	1.62	1.34	1.02	1.06	0.81	5.84
Persist	Doebler's	1.61	1.44	0.93	1.06	0.78	5.81
Multistar	FFR	1.68	1.46	0.88	0.95	0.79	5.77
Dominator	AgriPro	1.65	1.36	0.96	1.07	0.72	5.76
Precedent	Doebler's	1.70	1.37	0.88	0.98	0.79	5.72
Ram	Great Plains	1.50	1.36	0.96	1.00	0.77	5.60
Total +Z	ABI	1.66	1.28	0.96	0.96	0.72	5.57
Demand	AgriPro	1.55	1.22	0.98	1.09	0.71	5.56
Legacy	ABT	1.63	1.44	0.82	0.93	0.72	5.54
Key	Great Plains	1.62	1.30	0.92	0.92	0.74	5.50
Cimarron VR	Great Plains	1.53	1.31	0.84	1.00	0.76	5.43
Alfagrazz	Americas	1.60	1.27	0.82	1.00	0.68	5.37
Belmont	Great Plains	1.39	1.26	0.89	0.92	0.72	5.18
LSD (0.05)		0.17	NS	0.10	0.12	0.10	0.41

Planted – 9/14/94

2/18/97 - Sprayed 3/4 lb Sinbar/acre for weed control

3/11/97 - Applied 0-80-300 + 4lb B/acre

3/17/97 - Sprayed 1 % Roundup in alley to control weeds

4/2/97 - Sprayed 1 qt. Lorsban/acre to control alfalfa weevil

5/20/97 - Applied 180 lb K₂O/acre

Table 10. 1998 Alfalfa Variety Yields: Northern Piedmont AREC, Orange, VA, Sept. 1994 Seeding.

Variety	Company	13-May-98	17-Jun-98	13-Jul-98	21-Aug-98	29-Sep-98	Total
DM Yield (ton/acre)							
Choice	FFR	2.22	2.29	1.23	1.46	0.78	7.99
Paramount	ChemGro	2.06	2.28	1.28	1.44	0.77	7.83
WL 252 HQ	W-L	2.12	2.23	1.14	1.38	0.76	7.63
Innovator +Z	ABI	1.89	2.20	1.26	1.43	0.76	7.54
Multistar	FFR	2.09	2.17	1.07	1.30	0.65	7.29
Resistar	FFR	2.01	2.17	1.11	1.31	0.69	7.28
Asset	Seedway	2.00	2.12	1.08	1.32	0.73	7.26
5454	Pioneer	1.91	2.10	1.15	1.34	0.74	7.24
Key	Great Plains	1.98	2.18	1.08	1.26	0.68	7.19
Dominator	AgriPro	1.81	2.14	1.18	1.30	0.72	7.16
Ram	Great Plains	1.93	2.07	1.08	1.26	0.72	7.06
WL 323	W-L	2.15	2.02	1.07	1.24	0.58	7.06
Demand	AgriPro	1.91	2.16	1.11	1.20	0.64	7.03
Persist	Doebler's	2.03	2.02	1.10	1.24	0.61	7.00
Total +Z	ABI	2.01	2.07	1.07	1.24	0.56	6.95
Belmont	Great Plains	1.85	1.96	1.10	1.24	0.65	6.80
Precedent	Doebler's	2.00	1.97	1.02	1.22	0.58	6.79
Legacy	ABT	1.91	1.95	0.95	1.22	0.57	6.60
Alfagrazze	America's	1.78	1.96	1.00	1.18	0.62	6.54
Cimarron VR	Great Plains	2.00	1.93	0.93	1.14	0.49	6.49
LSD (0.05)		0.22	0.20	0.09	0.13	0.18	0.53

Planted – 9/14/94

2/22/98 - Sprayed 3/4 lb Sinbar/acre for weed control
2/26/98 - Applied 0-80-300 + 4lb B/acre4/2/98 - Sprayed 1 qt. Lorsban/acre to control alfalfa weevil
5/18/98 - Applied 180 lb K₂O/acre**Table 11. 1999 Alfalfa Variety Yields: Northern Piedmont AREC, Orange, VA, Sept. 1994 Seeding.**

Variety	Company	10-May-99	10-Jun-99	13-Jul-99	9-Aug-99	23-Sep-99	Total
DM Yield (ton/acre)							
Paramount	ChemGro	2.05	1.56	1.22	0.91	0.91	6.65
Multistar	FFR	1.89	1.45	1.14	0.84	0.96	6.28
Choice	FFR	1.97	1.51	1.10	0.79	0.92	6.28
Innovator +Z	ABI	1.90	1.35	1.17	0.93	0.91	6.26
5454	Pioneer	1.76	1.47	1.18	0.90	0.95	6.26
WL 252 HQ	W-L	1.97	1.43	1.16	0.79	0.89	6.24
Persist	Doebler's	1.71	1.38	1.12	0.77	0.96	5.94
WL 323	W-L	1.70	1.36	1.05	0.76	1.03	5.90
Asset	Seedway	1.65	1.36	1.10	0.78	0.96	5.85
Ram	Great Plains	1.64	1.30	1.04	0.74	1.03	5.75
Resistar	FFR	1.64	1.33	1.08	0.73	0.94	5.73
Dominator	AgriPro	1.72	1.28	1.04	0.75	0.87	5.66
Legacy	ABT	1.68	1.22	1.05	0.76	0.93	5.64
Key	Great Plains	1.68	1.28	1.05	0.66	0.94	5.61
Belmont	Great Plains	1.51	1.16	1.05	0.79	1.03	5.54
Demand	AgriPro	1.73	1.23	0.97	0.69	0.90	5.51
Total +Z	ABI	1.75	1.15	0.94	0.74	0.92	5.50
Precedent	Doebler's	1.66	1.21	0.93	0.64	0.91	5.34
Alfagrazze	America's	1.51	1.11	0.94	0.64	0.85	5.05
Cimarron VR	Great Plains	1.39	1.07	0.89	0.65	0.88	4.89
LSD (0.05)		0.21	0.17	0.14	0.17	NS	0.57

Planted – 9/14/94

2/10/99 - Sprayed 3/4 lb Sinbar/acre for weed control
2/9/99 - Applied 0-80-300 + 4 lb B/acre4/8/99 - Sprayed 1 qt. Lorsban/acre to control alfalfa weevil
5/17/99 - Applied 180 lb K₂O/acre

Table 12. 1999 Alfalfa Variety Yields - Northern Piedmont AREC, Orange, VA, Sept. 1998 Seeding.

Variety	Company	2-Jun-99	I-Nov-99	Total
		DM Yield (ton/acre)		
Dekalb 141	Monsanto	0.34	0.71	1.05
Dagger + EV	AgriPro	0.30	0.67	0.97
Spur	Seedway	0.26	0.71	0.96
Persist	Doebler's	0.22	0.74	0.95
Cimarron 3-i	Great Plains	0.24	0.67	0.90
Pioneer 5454	Pioneer	0.31	0.59	0.90
Dekalb 133	Monsanto	0.24	0.65	0.89
Triple Crown	FFR	0.25	0.63	0.88
WL 324	W-L	0.21	0.66	0.88
Cimarron - SR	Great Plains	0.28	0.59	0.87
ABT 400SCL	ABT	0.28	0.58	0.87
AmeriGraze 401 + Z	ABI	0.19	0.66	0.85
Pawnee	ABI	0.17	0.66	0.83
ABT 350	ABT	0.20	0.63	0.82
Feast + EV	AgriPro	0.21	0.61	0.82
Stellar	ChemGro	0.28	0.53	0.82
WL 323	W-L	0.21	0.61	0.82
CleanSweep 1000	FFR	0.22	0.57	0.80
Pioneer 53Q60	Pioneer	0.19	0.61	0.79
WL 326GZ	W-L	0.20	0.57	0.77
Dekalb 140	Monsanto	0.18	0.59	0.77
Choice	FFR	0.21	0.52	0.73
Affinity + Z	ABI	0.19	0.54	0.73
Interceptor	AgriPro	0.16	0.54	0.71
Pioneer 54H69	Pioneer	0.14	0.56	0.70
WL 325HQ	W-L	0.15	0.47	0.62
LSD (0.05)		NS	NS	NS

Planted - 9/23/98

9/14/98 - Applied 9 - 54 - 54/acre

9/21/98 - Sprayed 1 qt. of Eptam 7E and spike tooth in

3/26/99 - Overseeded Study

6/11/99 - Applied 100 lb K₂O/acre

Table 13. Alfalfa seed companies with varieties in Virginia Tech trials.

53H81	5	
53Q60	5	
5454	5	
54H69	5	
54V54	5	
Abilene + Z	9	
ABT 350	12	
ABT 400 SCL	12	
ABT405	12	
Affinity + Z	9	
Alfagraze	9	
Amerigraze 401 + Z	9	
Asset	2	1. Southern States Cooperative P. O. Box 26234 Richmond, VA 23260 (804)281-1253 www.southernstates-coop.com
Belmont	4	
Choice	1	
Cimarron 3I	4	
Cimarron VR	4	
Cinarrow SR	4	
Clean Sweep 1000	1	2. Seedway Inc. 1734 Railroad Place P.O. Box 250 Hall, NY 14463 (716)526-6391
Dagger + EV	11	
Demand	11	
DK127	6	
DK133	6	
DK140	6	
DK141	6	
Dominator	11	3. ChemGro Seeds P.O. Box 218 East Petersburg, PA 17520 (717)569-3296
Feast + EV	11	
Haygrazer	4	
Innovator +Z	9	
Interceptor	11	4. Wetsel, Inc. 961 N. Liberty Harrisonburg, VA 22801 (540)434-6753
Key	4	
Legacy	12	
Multistar	1	
Paramount	3	5. Pioneer Hi-Bred International, Inc. 800 Tiffany Blvd., #200 Rocky Mount, NC 27804-1826 (212)972-3320
Pawnee	13	
Persist	8	
Precedent	8	
Prolific	8	6. Monsanto 3100 Sycamore Rd DeKalb, IL 60115 1-800-8DEKALB
Ram	4	
Resistar	1	
Seedway 512	2	7. Agway, Inc. 243 Red Dog Road Acme, PA 15610 (724)455-3526
Spur	2	
Stampede	7	
Stellar	3	
Supercuts	12	
Total +Z	9	
Trialfalon	3	
Triple Crown	1	
WL 252 HQ	10	
WL 323	10	
WL 324	10	
WL 325 HQ	10	
WL 326 GZ	10	
WL 327	10	
WL 332 SR	10	

Figure I.




Figure 2.

